
6003 Joker combination wrench - Open-end with return angle of just 15. When things get tight.









- 5-piece set
- With its strong magnet, the rail holds securely to metal surfaces. It can also be bolted to the wall.
- The clips hold the tools perfectly
- Especially suitable for tight spaces
- The special open end geometry expands the placement possibilities of the tool
- The low return angle in the open end "takes" the screw every 15°
- Slim ring side with 15° crank
- With Take it easy tool finder: colour coding by size

Ring spanner set, 5-piece set, metric sizes; on a magnetic rail. With the combination of the 7.5° offset open end and the double hexagon geometry, the Joker 6003 doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be engaged every 15°. This makes screwdriving much easier, especially in confined spaces. The slim yet robust ring side is tilted by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With "Take it easy" Tool finder: Colour coding by size. The strip terminals hold the tools perfectly. With its strong magnet, the rail holds securely to metal surfaces. It can also be bolted to the wall.

Web link

https://products.wera.de/en/joker_6003_joker_combination_wrench_open-end_with_return_angle_of_just_15_when_things_get_tight_9641.html

6003 Joker combination wrench - Open-end with return angle of just 15. When things get tight.



Screw mounting



Secure tool holding

Wera


No image available

Held by magnetic force

Wera Wera No image available


Thehigh-qualityaluminiummagnetic rail offers space for up to11spanners.Theclampingsprings hold the tools securely.

Joker 6003: For pivoting angles under 30°



Thanks to the open end side offset by 7.5°, double hexagon geometry and an adjusted application method (placement - screwdriving - turning - replacement screwdriving - turning, etc), even screwdriving challenges allowing a pivoting angle of less than 30° can be solved. With its strong magnet, the rail can be attached securely to metal surfaces.

Double-hex geometry



The double hexagon geometry on the open end and ring sides secures the positive connection with the screw head or bolt and reduces the risk of slipping.

Werce Werce No image available

The rail can also be bolted to the wall.

Joker 6003: Tilted ring side



The ring side is cranked at 15° to the tool axis to prevent injury.

For very tight spaces



The Joker 6003 ring spanner with its special open end geometry - open end offset by 7.5° and the double hexagon profile - doubles the placement possibilities when repeatedly turning the wrench 180° around the longitudinal axis. Bolts and screw heads can be "accessed" every 15°. The Joker 6003 will automatically find the respective placement point after every turn.

Web link https://products.wera.de/en/joker_6003_joker_combination_wrench_open-end_with_return_angle_of_just_15_when_things_get_tight_9641.html

6003 Joker combination wrench - Open-end with return angle of just 15. When things get tight.



Set contents:

6003 Joker combination wrench, 8 x 115 mm

	05020200001	1x	8 x 115 mm
	05020201001	1x	10 x 125 mm
	05020204001	1x	13 x 160 mm
	05020208001	1x	17 x 190 mm
	05020210001	1x	19 x 230 mm

9610 Joker Magnetic rail, for up to 11 spanners, empty, 30 x 370 mm 05136413001 1x 30 x 370 mm



Web link https://products.wera.de/en/joker_6003_joker_combination_wrench_open-end_with_return_angle_of_just_15_when_things_get_tight_9641.html